
LET ECSTASY REVOLVE

around your space

• • •





Our **PRODUCTS**

After years of research and keen analysis, has cracked the code to create a unique range of finishes. This watchful eye on the evolution of Vogue trends allows us to create materials that are highly unique and advanced.

FEATURES



High Durable



Resistance



Resistance





Easy to






Stability





Friendly



















BRECCIA MONET

1200X2400mm

Bookmatch

→ 9mm Thickness





HIGH GLOSSY

BROCKEN BRECIA

1200X2400mm

Bookmatch

→ 9mm Thickness






HIGH GLOSSY

CHIFFON BEIGE

1200X2400mm

Bookmatch

→ 9mm Thickness






HIGH GLOSSY

COVELANO LASA

1200X2400mm

Bookmatch







ELITE BLACK

1200X2400mm

Bookmatch

→ 9mm Thickness





HIGH GLOSSY

GLORIOUS WHITE


1200X2400mm

Bookmatch

Also Available in

1200x1200mm

→ 9mm Thickness





HIGH GLOSSY

GALAXY STUTUARIO

1200X2400mm

Bookmatch

→ 9mm Thickness






HIGH GLOSSY

GRONZA WHITE

1200X2400mm

Bookmatch



Inspire and transform every day


























ALEX CALACATTA

1200X2400mm

3 Random

Also Available in 800x1600mm | 1200x1200mm

→ 9mm Thickness





HIGH GLOSSY

ARENA DUNE

1200X2400mm

2 Random

 $\stackrel{\textstyle imes}{\scriptstyle imes}$ 9mm Thickness





HIGH GLOSSY

ARISTONE CEROBE

1200X2400mm

2 Random

Also Available in 800x1600mm

→ 9mm Thickness





HIGH GLOSSY


AZUL CIELO

1200X2400mm

3 Random

Also Available in 1200x1200mm

→ 9mm Thickness



* Dark High Glossy Series * Dark High Glossy Series



ARMANI BEIGE

1200X2400mm

2 Random

Also Available in 800x1600mm | 1200x1200mm

→ 9mm Thickness





HIGH GLOSSY

ARMANI GOLD

1200X2400mm

2 Random

Also Available in 800x1600mm | 1200x1200mm

→ 9mm Thickness





HIGH GLOSSY


ARMANI GREY

1200X2400mm

2 Random

Also Available in 800x1600mm | 1200x1200mm

→ 9mm Thickness





HIGH GLOSSY

ARMANI GRISS

1200X2400mm

2 Random

Also Available in 800x1600mm | 1200x1200mm

→ 9mm Thickness





ATLANTIC WHITE 1200X2400mm Continue 2 Face Also Available in 800x1600mm | 1200x1200mm → 9mm Thickness



HIGH GLOSSY


BETEL WHITE

1200X2400mm

2 Random

Also Available in 800x1600mm | 1200x1200mm

→ 9mm Thickness





HIGH GLOSSY


ALONZO BLUE

1200X2400mm

Bookmatch

4 Random

→ 9mm Thickness





Special Series # Special Series





BRECCIA BEIGE

1200X2400mm

3 Random

Also Available in 800x1600mm | 1200x1200mm

 $\stackrel{\textstyle imes}{\;\;\;\;\;}$ 9mm Thickness







HIGH GLOSSY

BIANCO LASA

1200X2400mm

2 Random

Also Available in 800x1600mm

→ 9mm Thickness





1200X2400mm

BE/13/11/17

4 Random

Also Available in 1200x1200mm

→ 9mm Thickness





* Dark High Glossy Series * Dark High Glossy Series



BERLIM BEIGE

1200X2400mm

2 Random

Also Available in 800x1600mm | 1200x1200mm

→ 9mm Thickness





HIGH GLOSSY

COVELANO LASA

1200X2400mm

2 Random

Also Available in 800x1600mm | 1200x1200mm

→ 9mm Thickness





HIGH GLOSSY

EXOTIC WHITE

1200X2400mm

2 Random

Also Available in 800x1600mm | 1200x1200mm

→ 9mm Thickness





HIGH GLOSSY

CRISTAN STONE


1200X2400mm

2 Random











HIGH GLOSSY

EMBER WHITE #

1200X2400mm

Continue

3 Face

→ 9mm Thickness





HIGH GLOSSY







HIGH GLOSSY

1200X2400mm	
2 Random	
Also Available in 1200x1200mm	
→ 9mm Thickness	



Special Series * Dark High Glossy Series

Absorb excellent vibes around yourself.
























DYNA SUPREME

1200X2400mm

2 Random

Also Available in 1200x1200mm

→ 9mm Thickness





ELIZA BEIGE

1200X2400mm

2 Random

Also Available in 1200x1200mm

→ 9mm Thickness





HIGH GLOSSY

FOREST BROWN

1200X2400mm

1 Random

Also Available in 800x1600mm | 1200x1200mm

→ 9mm Thickness





HIGH GLOSSY

IMPACT SATVARIO

1200X2400mm Continue

3 Face

Also Available in 800x1600mm | 1200x1200mm (R)





HOIST WHITE # 1200X2400mm Continue 3 Face \$\frac{1}{\times}\$ 9mm Thickness





HIGH GLOSSY

1200X2400mm	
Continue	
3 Face	
Also Available in 1200x1200mm (R)	
→ 9mm Thickness	





HIGH GLOSSY





HIGH GLOSSY

ICE BERG BLUE	*
1200X2400mm	
3 Random	



Special Series * Dark High Glossy Series

Express your inclination for a perky living.























PACIFIC WHITE # 1200X2400mm Continue 4 Face \$\frac{1}{\times}\$ 9mm Thickness






HIGH GLOSSY






HIGH GLOSSY







HIGH GLOSSY





Special Series * Dark High Glossy Series



RAINBOW BROWN

1200X2400mm

2 Random

→ 9mm Thickness





PATAGONIA

1200X2400mm

3 Random

Also Available in 1200x1200mm

 $\stackrel{\textstyle imes}{\;\;\;\;\;}$ 9mm Thickness





HIGH GLOSSY

REGAL BEIGE

1200X2400mm

3 Random

→ 9mm Thickness





HIGH GLOSSY

REGAL NATURAL

1200X2400mm

3 Random

Also Available in 800x1600mm







SEMOND PAUL

1200X2400mm

2 Random

→ 9mm Thickness





LEVANTO BROWN

1200X2400mm

4 Random

Also Available in 800x1600mm | 1200x1200mm

→ 9mm Thickness





HIGH GLOSSY

LEVANTO LIGHT

1200X2400mm

4 Random

Also Available in 800x1600mm | 1200x1200mm

→ 9mm Thickness





HIGH GLOSSY

LEVANTO NATURAL

1200X2400mm

4 Random

Also Available in 800x1600mm | 1200x1200mm





Witness sparkle coming to your life
























HIGH GLOSSY NERO MARQUINA

1200X2400mm

3 Random

Also Available in 800x1600mm | 1200x1200mm

→ 9mm Thickness





HIGH GLOSSY

SAHARA BLACK

*

1200X2400mm

2 Random

Also Available in 800x1600mm | 1200x1200mm

→ 9mm Thickness





HIGH GLOSSY

TRIESTA NOIR *


1200X2400mm

3 Random

Also Available in 800x1600mm | 1200x1200mm

→ 9mm Thickness





HIGH GLOSSY

TOPAZ BROWN

*

1200X2400mm

 $\stackrel{\textstyle \star}{\raisebox{-1pt}{\times}}$ 9mm Thickness

* Dark High Glossy Series



STATUARIO RIO

1200X2400mm

3 Random

→ 9mm Thickness





HIGH GLOSSY

STATUARIO NATURAL

1200X2400mm

3 Random

Also Available in 800x1600mm | 1200x1200mm

→ 9mm Thickness





HIGH GLOSSY

STATUARIO AFYON

1200X2400mm

Continue

3 Face

→ 9mm Thickness





HIGH GLOSSY

STATUARIO BELGIA

1200X2400mm

Continue

3 Face






SCARLET WHITE

1200X2400mm

Continue

4 Face

→ 9mm Thickness





HIGH GLOSSY


STATARIO GOLD

1200X2400mm

Bookmatch

3 Random

→ 9mm Thickness





HIGH GLOSSY

SUMMER WHITE

1200X2400mm

4 Random

Also Available in 800x1600mm | 1200x1200mm

💥 9mm Thickness





1200X2400mm

Bookmatch



Flaunt your abode with a prime attitude























SONATA BRONZE

1200X2400mm

3 Random

Also Available in 800x1600mm

→ 9mm Thickness





SONATA WHITE

1200X2400mm

3 Random

Also Available in 800x1600mm

→ 9mm Thickness





HIGH GLOSSY

TITANIUM NATURAL *

1200X2400mm

3 Random

Also Available in 800x1600mm | 1200x1200mm

→ 9mm Thickness





HIGH GLOSSY

TITANIUM BROWN



3 Random

1200X2400mm

Also Available in 800x1600mm | 1200x1200mm







TRAVENTINO BEIGE

1200X2400mm

→ 9mm Thickness



HIGH GLOSSY

TRAVENTINO CREMA

1200X2400mm

2 Random

💥 9mm Thickness





HIGH GLOSSY

TURKE LANA

1200X2400mm

Also Available in 800x1600mm | 1200x1200mm

→ 9mm Thickness



HIGH GLOSSY

VICTORIA BEIGE

1200X2400mm

4 Random

Also Available in 800x1600mm





WILLIAM BIANCO

1200X2400mm

2 Random

Also Available in 800x1600mm

→ 9mm Thickness





WHITE PASANTO

#

1200X2400mm

Continue

3 Face

→ 9mm Thickness





HIGH GLOSSY

ZED ONYX ICE

1200X2400mm

4 Random

→ 9mm Thickness






ZED ONYX CLASSIC

1200X2400mm

4 Random







Compel every eye to perceive your ambience



















The Sheer Exhilaration



With the sheer exhilaration of design, it revamps the overall look of your place – Commercial or Residential. Levitate the grace of finish and magnet the eyes of onlookers. So, let's make your space emit style with the unique set of designs, incomparable finish and vibrant sizes.



MATT

CAPRON CREMA

1200X2400mm

3 Random

Also Available in 1200x1200mm

→ 9mm Thickness




MATT

CAPRON GREY

1200X2400mm

3 Random

Also Available in 1200x1200mm





CORTEX AZURE

1200X2400mm

2 Random

→ 9mm Thickness





CORTEX CEDAR

1200X2400mm

2 Random

→ 9mm Thickness





MATT

DUST

1200X2400mm

4 Random

→ 9mm Thickness



MATT

ELEGANT CREMA

1200X2400mm



ELIZA BEIGE

1200X2400mm

3 Random

→ 9mm Thickness





MEXXO LIGHT

1200X2400mm

4 Random

Also Available in 1200x1200mm

→ 9mm Thickness





MATT

MEXXO OLIVE

1200X2400mm

4 Random

→ 9mm Thickness





MEXXO SIENNA

1200X2400mm

4 Random

Also Available in 1200x1200mm





MANDANA BROWN

1200X2400mm

→ 9mm Thickness



MATT

MANDANA CREAM

1200X2400mm

→ 9mm Thickness



MATT

MILANO GREY

1200X2400mm

3 Random

Also Available in 1200x1200mm

→ 9mm Thickness



MATT

MILANO SILVER

1200X2400mm

3 Random

Also Available in 1200x1200mm



Define yourself with confidence



























ORION CREMA

1200X2400mm

4 Random

→ 9mm Thickness





MATT

ORION WHITE

1200X2400mm

4 Random

→ 9mm Thickness






MATT

LAVANET BEIGE

1200X2400mm

3 Random

→ 9mm Thickness



MATT

REGAL NATURAL

1200X2400mm

3 Random





RIZ SILVER

1200X2400mm

2 Random

→ 9mm Thickness





RIZ CEDAR

1200X2400mm

2 Random

→ 9mm Thickness






MATT

SANDUNE CAFÉ

1200X2400mm

Also Available in 1200x1200mm

→ 9mm Thickness



MATT

SENTILIA BROWN

1200X2400mm

Also Available in 1200x1200mm



TUNA ROCK GREY

1200X2400mm

2 Random

Also Available in 1200x1200mm

→ 9mm Thickness





TUNA ROCK ICE

1200X2400mm

2 Random

Also Available in 1200x1200mm





MATT

VICTORIA BEIGE

1200X2400mm

4 Random

→ 9mm Thickness





MATT

SUMMER WHITE

1200X2400mm

4 Random



Live where your mind stays still
























LENOX WOOD

1200X2400mm

2 Random

→ 9mm Thickness





MULBERRY WOOD DECOR #

1200X2400mm

→ 9mm Thickness



MATT

MEPAL WOOD BROWN

1200X2400mm

5 Random

→ 9mm Thickness





MATT

MEPAL WOOD

1200X2400mm

5 Random












ROOST WOOD


1200X2400mm

→ 9mm Thickness

Special Series









CARVING

LURENT BLUE

1200X2400mm

5 Random

→ 9mm Thickness





CARVING

LURENT BROWN

1200X2400mm

5 Random





CARVING

BURBERRY BEIGE

1200X2400mm

2 Random

→ 9mm Thickness



2 Random

→ 9mm Thickness





CARVING

BURBERRY GREY

1200X2400mm

2 Random

→ 9mm Thickness



CARVING

CORTEN BEIGE

1200X2400mm





CARVING


RUBY QUARTZ ASH

1200X2400mm

4 Random

Also Available in 1200x1200mm

→ 9mm Thickness





RUBY QUARTZ SEAL

1200X2400mm

4 Random






CARVING

STUCCO BEIGE

1200X2400mm





Dive deep inside the heart of art





























RICH SILK

BRECCIA MARINO LATTE

1200X2400mm

2 Random

→ 9mm Thickness





BRECCIA MARINO NATURAL

1200X2400mm

2 Random







RICH SILK

BRECCIA MARINO ASH

1200X2400mm

1 Random







TECHNICAL SPECIFICATION OF OUR SLAB VITRIFIED TILE

TEST DISCRIPTION								
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	OUR VALUE					
Deviation in Length	IS-13630-1	±0.50%	±0.10%					
Deviation in Width	IS-13630-1	±0.50%	±0.10%					
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%					
Straightness of Sides	IS-13630-1	±0.50%	±0.10%					
Rectangularity	IS-13630-1	±0.60%	±0.15%					
Surface Flatness	IS-13630-1	±0.50%	±0.20%					
Surface Quality	IS-13630-1	Min. 95%	Min. 95%					
	PHYSICAL PROPERT	TIES						
Water Absorption	IS-13630-2	≤0.50%	≤0.50%					
Modulus of Rapture(N/mm2)	IS-13630-6	Min. 35N/mm²	Min. 37N/mm²					
Breaking Strength(N)	IS-13630-6	<7.5mm-700N ≥7.5mm-1300N	≤7.5mm-1000N ≥7.5mm-1400N					
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max					
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4					
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As pr Mfg.	Class I Min.					
Co-Efficent of Linear Thermal Expansion	IS-13630-4	As pr Mfg.	6.5x10 ^{-0.6} Max.					
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.					
Crazing Resistance	IS-13630-9	As pr Mfg.	5 Cycles at 7.5Bar Pressure					
Impact Resistance-Coefficent of Restitution	IS-13630-14	As pr Mfg.	0.55 Min					
Frost Resistance	IS-13630-10	As pr Mfg.	No Damage					
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc					
	CHEMICAL PROPER	TIES						
Resistance of Staining	IS-13630-8	Class I Min.	Class II					
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA					
Resistance to Acids & Alkalis	IS-13630-8	As pr Mfg.	Min. Class A					
Slip Resistance	150-13006/EN1444 Group B A	As pr Mfg.	As pr Mfg.					

PACKING DETAIL


No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	1200x2400mm	9.0mm	1 pcs.	2.88 sq. mtr.	60 Kgs.
02	800x1600mm	9.0mm	2 pcs.	2.56 sq. mtr.	54 Kgs.
03	1200x1200mm	9.0mm	2 pcs.	2.88 sq. mtr.	60 Kgs.

ONLY SLAB LAYING INSTRUCTIONS

- Plaster the surface of the floor to be tiled smooth and complete the plastering and curing at least two hour prior to tilling.
- Before fixing ONLY SLAB, lay them out in desired pattern and make sure that give acceptable blend of colour. Please not that certain amount of shade variation is inherent in the manufacture of a fully vitrified ceramic tile.
 THE COMPANY WALL BEAR NO LIABILITY AFTER THE TILES ARE FIXED.
- For fixing **ONLY SLAB**, we recommend the use of the tile fixing adhesive for best result. Also follow the tile fixing instructions provided along with adhesives.
- For fixing ONLY SLAB on the floor using sand and cement follow the instructions given bellow:
- Use cement and sand mortar in the ratio of 1:4 add some water to create a consistent paste.
- Once the mixing has been completed do not add any further water to create a consistent paste.
- Apply a 20-30mm layer of bedding material over an area of 1 square meter at a time on the surface of the area. Apply a fine slurry to the back of the tile to ensure proper and dull bedding, press gently for even adherence at the back of the tile. DO NOT USE IRON HAMMER OR SOME HEAVY MATERIAL TO PRESS THE TILES.
- For fixing **ONLY SLAB** on dado, we recommend the use of adhesive. Please follow the manufacture's instructions for the same. We do not recommend the use of sand and cement for fixing on dado.
- Mark and layout the tiles from the center of the area to be tile so that cut tiles. If any will be on the outer edges to words the walls.
- The work size which we try to maintain for better technical performance is 1200x2400mm, 800x2400mm, 900x1800mm, 800x1600mm, & 1200x1200mm on average. It is advisable to maintain a gap of 1mm to 3mm between every two tile to allow for possible expansion as
 - per BIS/EN tolerance norms. This would give the coverage area as mentioned in the cartoon.
- Complete the tile laying process by pressing the center of the **ONLY SLAB** firmly into place along the walls/floors.
- Allow 3-4 days for bed curing. After this period fill the joints with grouts.
- Fifteen minutes after finishing the grouting process, wipe off excess grout with a damp sponge and polish the tile with a soft and dry cloth for a clean surface. The tile can also be cleaned by mild acid(however hydrofluoric acid and its derivatives should not be used)
- Please note that the company does not accept any liability in case of problems arising out of non-adherence to these fixing instructions.

TILING POSSIBILITIES

800x1600mm



1200x1200mm

