


LET ECSTASY REVOLVE

around your space



**Master the art of zero
rectification**




**We narrate a tale of
magnetic ambiance**

Enhance your home environment with delicate tiles and balance functionality and aesthetics by choosing the best size for the tiles. A slab with an extraordinary size that changes the rules of floor paving and breaks free from the optical interruptions of joints to offer the aesthetics of material in all its beauty. With their minimalist style and design, 120 x 120 mm tiles are strongly impressive at first glance. So select the color you want.

HIGH GLOSSY

HIGH GLOSSY



Welcome the latest avatar
of opulence



Looking for an intelligent and smooth surface that brightens light, influencing a space to appear grander? We have an extra ordinary collection of gloss tiles that looks astounding in living zones when utilized on floors in their expansive arrangement. Flaunt your abode with a prime attitude.



HIGH GLOSSY

ALDO SPHERE #

1200X1200mm

DECOR SERIES

✂ 9mm Thickness



HIGH GLOSSY


ATLANTIC WHITE

1200X1200mm

4 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

ALDO BEIGE


1200X1200mm

4 Random

Also Available in
800x1600mm

✂ 9mm Thickness

Special Series



HIGH GLOSSY


ARMANI BEIGE

1200X1200mm

2 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY


ARMANI GRISS *

1200X1200mm

2 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

ARMANI GOLD *

1200X1200mm

2 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

ALEX CALACATTA

1200X1200mm

4 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY


ARMANI GREY

1200X1200mm

2 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

AZUL CIELO *

1200X1200mm




5 Random

Also Available in
1200x2400mm

✂ 9mm Thickness

* Dark High Glossy Series

* Dark High Glossy Series



HIGH GLOSSY

BLACK RIVER *

1200X1200mm

6 Random

Also Available in
1200x2400mm

✂ 9mm Thickness



HIGH GLOSSY

BRECCIA BEIGE

1200X1200mm

2 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

BERLIM BEIGE

1200X1200mm

4 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY



BRECCIA LAVA *

1200X1200mm

2 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY


BETEL WHITE

1200X1200mm

4 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

5001



1200X2400mm

3 Random

✂ 9mm Thickness

* Dark High Glossy Series

* Dark High Glossy Series



HIGH GLOSSY

COVELANO LASA

1200X1200mm

3 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

DYNA SUPREME

1200X1200mm

3 Random

Also Available in
1200x2400mm

✂ 9mm Thickness



HIGH GLOSSY


DEVCI CREMA

1200X1200mm

4 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

BIANCO DOLIMITI

1200X1200mm

3 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

DEVCI GREY *

1200X1200mm

4 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

CRISTAN STONE *

1200X1200mm

2 Random

Also Available in
1200x2400mm

✂ 9mm Thickness

* Dark High Glossy Series

* Dark High Glossy Series

Narrate a tale of magnetic
ambiance.



Resistant
to UV



Low Water
Absorption



Resistant to
Chemical



Resistant to
Impact Force



Resistant to
Scratch



High Physical
Strength



Resistant
To Heat



BRECCIA LAVA
1200x1200mm



HIGH GLOSSY

ELIZA BEIGE

1200X1200mm

3 Random

Also Available in
1200x2400mm

✂ 9mm Thickness



HIGH GLOSSY



IMPACT SATVARIO *

1200X1200mm

4 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY


FOREST BROWN *

1200X1200mm

3 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

GLORIOUS WHITE #

1200X1200mm

BOOKMATCH

Also Available in
1200x2400mm

✂ 9mm Thickness



HIGH GLOSSY


EXOTIC WHITE *

1200X1200mm

4 Random

Also Available in
1200x2400mm

✂ 9mm Thickness



HIGH GLOSSY

GLORIOUS WHITE

1200X1200mm

3 Random

✂ 9mm Thickness



HIGH GLOSSY

ONYX SKY

1200X1200mm

5 Random

✂ 9mm Thickness



HIGH GLOSSY

ONYX ICE

1200X1200mm

2 Random

✂ 9mm Thickness



HIGH GLOSSY

PATAGONIA

1200X1200mm

4 Random

Also Available in
1200x2400mm

✂ 9mm Thickness



HIGH GLOSSY

LEVANTO LIGHT

1200X1200mm

6 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY


LEVANTO NATURAL *

1200X1200mm

6 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

LEVANTO BROWN *


1200X1200mm

6 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness

* Dark High Glossy Series



HIGH GLOSSY

MARINA PEDRA *

1200X1200mm

3 Random

Also Available in
800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

STOINIS NATURAL *

1200X1200mm

3 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

SAHARA BLACK *

1200X1200mm

3 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

SUMMER WHITE

1200X1200mm

6 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY


STATUARIO NATURAL

1200X1200mm

3 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

TRIESTA NOIR *

1200X1200mm

6 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness

* Dark High Glossy Series

* Dark High Glossy Series



HIGH GLOSSY

TITANIUM BROWN *

1200X1200mm

5 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

TITANIUM NATURAL *

1200X1200mm

5 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

TURKE LANA *

1200X1200mm

2 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

WILLIAM BIANCO

1200X1200mm

3 Random

Also Available in
1200x2400mm | 800x1600mm

✂ 9mm Thickness



TITANIUM BROWN
1200X1200mm

* Dark High Glossy Series



HIGH GLOSSY

P_3001

1200X1200mm

DECOR SERIES

✂ 9mm Thickness



HIGH GLOSSY

P_3005

1200X1200mm

DECOR SERIES

✂ 9mm Thickness



HIGH GLOSSY

P_3003

1200X1200mm

DECOR SERIES

✂ 9mm Thickness



MATT DECOR SERIES

P_3001

1200X1200mm

DECOR SERIES

✂ 9mm Thickness



HIGH GLOSSY

P_3004

1200X1200mm

DECOR SERIES

✂ 9mm Thickness



P_3005
1200x1200mm


MATT



**Assimilation of comfort
and luxury**



If you want to have a rustic and classy looking home then Matt finish tiles are something which you should go ahead with. So, spice up the look of your home with Matt Finish tiles! It has a better grip and holds over sparkle initiating the saga of perfection.






MATT

BASIL GRAFITO

1200X1200mm

4 Random

✂ 9mm Thickness



MATT


CAPRON CREMA

1200X1200mm

6 Random

Also Available in
1200x2400mm

✂ 9mm Thickness



MATT


CAPRON GREY

1200X1200mm

6 Random

Also Available in
1200x2400mm

✂ 9mm Thickness



MATT

MEXXO LIGHT

1200X1200mm

6 Random

Also Available in
1200x2400mm

✂ 9mm Thickness



MATT

MILANO SILVER

1200X1200mm

5 Random

Also Available in
1200x2400mm

✂ 9mm Thickness



MATT

MEXXO SIENNA

1200X1200mm

6 Random

Also Available in
1200x2400mm

✂ 9mm Thickness



MATT

MILANO GREY

1200X1200mm

5 Random

Also Available in
1200x2400mm

✂ 9mm Thickness



MATT

SANDUNE CAFE

1200X1200mm

3 Random

Also Available in
1200x2400mm

✂ 9mm Thickness



MATT

SENTILIA BROWN

1200X1200mm

2 Random

Also Available in
1200x2400mm

✂ 9mm Thickness



MATT

TUNA ROCK GREY

1200X1200mm

3 Random

Also Available in
1200x2400mm

✂ 9mm Thickness



MATT

TUNA ROCK ICE

1200X1200mm

3 Random

Also Available in
1200x2400mm

✂ 9mm Thickness



TUNA ROCK ICE
1200X1200mm






TUNA ROCK GREY
1200X1200mm

CARVING



Perfect for Your Tranquil Zone

The delicate repressed tones of carving tiles promote quietness and tranquility. These tiles are ideal for making a peaceful and relieving space in your home. Highlight sophistication at peak with these carving tiles and astound your relatives and neighbour.



CARVING



RUBY QUARTZ ASH

1200X1200mm

6 Random

Also Available in
1200x2400mm

✂ 9mm Thickness



CARVING



RUBY QUARTZ SEAL

1200X1200mm

6 Random

Also Available in
1200x2400mm

✂ 9mm Thickness



CARVING




TERRAZZO

1200X1200mm

2 Random

Also Available in
800x1600mm

✂ 9mm Thickness



CARVING

AMMONITE BIANCO

1200X1200mm

3 Random

Also Available in
800x1600mm

✂ 9mm Thickness



CARVING

AMMONITE NERO

1200X1200mm

3 Random

Also Available in
800x1600mm

✂ 9mm Thickness



CARVING

ROCKFORD NATURAL

1200X1200mm

2 Random

✂ 9mm Thickness



ROCKFORD NATURAL
1200X1200mm

RICH SILK



Precious and versatile coverings
with a timeless elegance



we are one stop solution for all your luxurious tiling needs. From brightening up the small space to complementing your home aesthetics, we have everything that you are looking for. Get rich finish tiles now and add an instant touch of elegance and refinement to any room.



RICH SILK

BRECCIA MARINO ASH

1200X1200mm

4 Random

✂ 9mm Thickness



RICH SILK

BRECCIA MARINO LATTE

1200X1200mm

4 Random

Also Available in
1200x2400mm

✂ 9mm Thickness



RICH SILK

BRECCIA MARINO NATURAL

1200X1200mm

4 Random

✂ 9mm Thickness

Express your inclination
for a perky living



Resistant
to UV



Low Water
Absorption



Resistant to
Chemical



Resistant to
Impact Force



Resistant to
Scratch



High Physical
Strength



Resistant
To Heat



BRECCIA MARINO NATURAL
1200X1200mm



BRECCIA MARINO LATTE
1200X1200mm

TECHNICAL SPECIFICATION OF OUR SLAB VITRIFIED TILE

TEST DISCRIPTION			
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	OUR VALUE
Deviation in Length	IS-13630-1	±0.50%	±0.10%
Deviation in Width	IS-13630-1	±0.50%	±0.10%
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%
Straightness of Sides	IS-13630-1	±0.50%	±0.10%
Rectangularity	IS-13630-1	±0.60%	±0.15%
Surface Flatness	IS-13630-1	±0.50%	±0.20%
Surface Quality	IS-13630-1	Min. 95%	Min. 95%
PHYSICAL PROPERTIES			
Water Absorption	IS-13630-2	≤0.50%	≤0.50%
Modulus of Rapture(N/mm ²)	IS-13630-6	Min. 35N/mm ²	Min. 37N/mm ²
Breaking Strength(N)	IS-13630-6	<7.5mm-700N ≥7.5mm-1300N	≤7.5mm-1000N ≥7.5mm-1400N
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As pr Mfg.	Class II Min.
Co-Efficient of Linear Thermal Expansion	IS-13630-4	As pr Mfg.	6.5x10 ⁻⁶ Max.
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.
Crazing Resistance	IS-13630-9	As pr Mfg.	5 Cycles at 7.5Bar Pressure
Impact Resistance-Coefficient of Restitution	IS-13630-14	As pr Mfg.	0.55 Min
Frost Resistance	IS-13630-10	As pr Mfg.	No Damage
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc
CHEMICAL PROPERTIES			
Resistance of Staining	IS-13630-8	Class I Min.	Class II
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA
Resistance to Acids & Alkalis	IS-13630-8	As pr Mfg.	Min. Class A
Slip Resistance	150-13006/EN1444 Group B A	As pr Mfg.	As pr Mfg.

PACKING DETAIL


No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	1200x2400mm	9.0mm	1 pcs.	2.88 sq. mtr.	60 Kgs.
02	800x1600mm	9.0mm	2 pcs.	2.56 sq. mtr.	54 Kgs.
03	1200x1200mm	9.0mm	2 pcs.	2.88 sq. mtr.	60 Kgs.

ONLY SLAB LAYING INSTRUCTIONS


- Plaster the surface of the floor to be tiled smooth and complete the plastering and curing at least two hour prior to tiling.
- Before fixing **ONLY SLAB**, lay them out in desired pattern and make sure that give acceptable blend of colour. Please not that certain amount of shade variation is inherent in the manufacture of a fully vitrified ceramic tile. THE COMPANY WALL BEAR NO LIABILITY AFTER THE TILES ARE FIXED.
- For fixing **ONLY SLAB**, we recommend the use of the tile fixing adhesive for best result. Also follow the tile fixing instructions provided along with adhesives.
- For fixing **ONLY SLAB** on the floor using sand and cement follow the instructions given below:
 - Use cement and sand mortar in the ratio of 1:4 add some water to create a consistent paste.
 - Once the mixing has been completed do not add any further water to create a consistent paste.
 - Apply a 20-30mm layer of bedding material over an area of 1 square meter at a time on the surface of the area. Apply a fine slurry to the back of the tile to ensure proper and dull bedding. press gently for even adherence at the back of the tile. DO NOT USE IRON HAMMER OR SOME HEAVY MATERIAL TO PRESS THE TILES.
- For fixing **ONLY SLAB** on dado, we recommend the use of adhesive. Please follow the manufacture's instructions for the same. We do not recommend the use of sand and cement for fixing on dado.
- Mark and layout the tiles from the center of the area to be tile so that cut tiles. If any will be on the outer edges to words the walls.
- The work size which we try to maintain for better technical performance is 1200x2400mm, 800x2400mm,900x1800mm, 800x1600mm, & 1200x1200mm on average. it is advisable to maintain a gap of 1mm to 3mm between every two tile to allow for possible expansion as per BIS/EN tolerance norms. This would give the coverage area as mentioned in the cartoon.
- Complete the tile laying process by pressing the center of the **ONLY SLAB** firmly into place along the walls/floors.
- Allow 3-4 days for bed curing. After this period fill the joints with grouts.
- Fifteen minutes after finishing the grouting process, wipe off excess grout with a damp sponge and polish the tile with a soft and dry cloth for a clean surface. The tile can also be cleaned by mild acid(however hydrofluoric acid and its derivatives should not be used)
- Please note that the company does not accept any liability in case of problems arising out of non-adherence to these fixing instructions.

TILING POSSIBILITIES

800x1600mm



1200x1200mm



THANK YOU

